

1

MATERIAL SAFETY DATA SHEET

Date of Issue: 2021-2-22

COMPANY and PRODUCT IDENTIFICATION

Company Identification: Integart Sp. z o.o.

55-330 Błonie, ul. Maszynowa 1

+48 71 31 53 191, +48 71 31 53 199

Product: Magnetic Floor

2 COMPOSITION/INFORMATION on COMPONENTS Percent by weight							
Acrylic polymer dispersion	40	60	Not Available				
Inorganic minerals	10	15	Not Available				
Ingredients determined not to be hazardous	10	15	Not Available				
Strontium Ferrite	10	15	12023-91-5				
Chlorinated Polyethylene	1	2	63231-66-3				

3 HAZARDS IDENTIFICATION

Emergency Overview

Appearance: Brown-Black Sheets, or strips

Odor: Odorless

Flammability: Ignited by extreme heat or open flame

Environmental: Environmentally non-hazardous

3 HAZARDS IDENTIFICATION(continued)

Potential Health Effects

Eye Contact: Small pieces of material cut or chipped from stock may scratch eye surface and become a

source of mechanical irritation.

Skin Contact: Non-hazardous in normal use. May cause skin irritation in some sensitive people.

Inhalation: Non-hazardous in normal use. Not a probable route of entry.

Ingestion: Non-hazardous in normal use. Not a probable route of entry.

Carcinogenicity: The following components are listed by IARC, TNP, OSHA, and ACGIH as(suspected)

Carcinogens:

Component	IARC	NTP	OSHA	<u>ACGIH</u>
Carbon Tetrachloride	Χ	Χ		X
Chloroform	Χ	Χ		

4 FIRST AID MEASURES

Eyes Contact: Flush with tepid water for at least 20 minutes holding the eyelids wide open Seek medical

attention if irritation develops.

Skin Contact: If irritation occurs, remove material from shin and wash affected area with soap and water, if

irritation persists, seek medical attention.

Inhalation: Non-hazardous in normal use. Not a probable route of entry.

Ingestion: Not expected to be an important route of entry into the body. Ingestion of large amounts of

dusts or particulate matter may cause gastrointestinal distress. Seek medical attention.

5 FIRE FIGHTING MEASURES

Flashpoint: N/A

Fire and Explosion Hazards: LEL: N/A

UEL: N/A

Solid material may burn at or above flashpoint temperature Material may emit acrid toxic

fumes and/or smoke

Fire Fighting: N/A

Extinguishing Media: Use water, dry chemical, or carbon dioxide to extinguish fires involving the product.

Product in or near fires should be cooled with a water spray or fog if compatible with

the other materials involved in the fire.

NFPA Rating: Health Fire Reactivity Specific

Hazard Rating: 0-insignificant, 1-Slight,2-Moderate,3-High,4-Extreme

6 ACCIDENTAL RELEASE MEASURES

N/A

7 HANDLING AND STORAGE

Handing: Use proper handling equipment and procedures that conform to OSHA regulations.

Storage: Store product at ambient temperatures out of contact with the elements. Keep from contact with strong mineral acids and oxidizers. Dusts and/or particulate matter that may be generated during handling or processing should be cleaned up by vacuuming or wet mopping.

Electrostatic Accumulation Hazard: Use proper bonding and/or grounding procedures to discharge any accumulation of static electricity

8 EXPOSURE CONTROL /PERSONAL PROTECTION

Exposure Controls: No additional ventilation beyond standard plant settings are required for processing the

magnetic materials.

Personal Protection: Safety glassed with side shield are recommended for processes requiring the cutting of

the magnetic materials. Cloth rubber, or plastic gloves are recommended during

handing to prevent possible skin irritation.

Workplace Exposure Guideline

OSHA 29CFR1970.1000: Observe the OSHA Permissible Exposure Limit of 5mg/m³ for dust and

fumes

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown-Black Sheets, or strips

Odorless: Odorless

Density: 2.0-2.5g/cc

Solubility in Water: Insoluble in water

% Volatiles: Not Volatile

Melt Point: ND

Boiling Point: NA

10 STABILITY AND REACTIVITY

Stability: Stable at normal storing and processing conditions.

Conditions to Avoid: Avoid contact with strong mineral acids and oxidizing agents.

Decomposition: Decomposition products include CO,CO2, HCl, hydrocarbon oxidation products include

organic acids, aldehydes, and alcohols.

Polymerization: Hazardous polymerization will not occur.

11 TOXICOLOGICAL INFORMATION

Animal: oral ld50: N/E

Dermal LD50: N/E Inhalation: N/E

12 ECOLOGICAL INFORMATION

No specific ecological data is available for this product.

13 DISPOSAL CONSIDERATION

Waste Disposal: The product is not considered hazardous. The product may be disposed of in an approved landfill or recycled if practical.

14 TRANSPORTATION INFORMATION

Shipping Information: This product is not regulated by the Department of Transportation

15 REGULATORY INFORMATION

None

16 OTHER INFORMATION

This MSDS documents is, to the best of NEWLIFE's knowledge, reliable and accurate. However, it is provided to you without representation or warranty, expressed or implied, regarding accuracy or correctness.

Conditions, methods of handing, storage, use, and disposal of the product are beyond NEWLIFE's control or knowledge. For this and other reasons, NEWLIFE assumes no responsibility and express disclaims any liability for injury, loss, damage, or expenses arising from the use of this product.