



## Declaration of Performance

No: CH098B\_03052020

1. Unique identification of the product-type:  
HP PVC-free Wallpaper
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):  
Wallcovering Product in Roll form.  
Each product roll is uniquely numbered; the roll number is indicated on product label.  
For printed wallcovering identification, seek guidance of the print service provider.
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:  
Internal finishes, whose primary goal is decorative, adhered to walls and partitions
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):  
HP Inc.,  
16399 West Bernardo Drive  
San Diego, CA  
92127
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):  
Dione Metnick  
S-One Holdings Corporation  
1605 Main Street, Suite 503  
Sarasota, Florida 34233, USA
6. System or systems of assessment and verification of constancy (AVCP) of performance of the construction product as set out in Annex V:  
System 3 – According to EN 15102:2007+A1:2011  
Annex ZA Table ZA.2 – Attestation of conformity systems

7. Not applicable



8. Declared performance

Essential characteristics (see Note 1)	Performance (see Note 2)	Harmonized technical specification (see Note 3)
Reaction to fire	Class B-s1,d0	EN 15102:2007 + A1:2011 EN 13501-1 / EN TS 15117
Formaldehyde	<120mg/kg	Test C of EN 12149:1997
Vinyl Monomer	<0.2mg/kg	Test B of EN 12149:1997
Heavy Metals	Passed	EN 15102:2007 + A1:2011
Release of Other Dangerous Substances	NPD	-
Sound Absorption	NPD	EN ISO 354
Thermal Resistance	NPD	EN 12667

Notes to the table:

1. Column 1 shall contain the list of essential characteristics as determined in the harmonised technical specifications for the intended use or uses indicated in point 3 above
  2. For each essential characteristic listed in column 1 and in compliance with the requirements of Article 6 of the CPR, column 2 shall contain the declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. The letters "NPD" (No Performance Determined) shall be indicated where no performance is declared;
  3. For each essential characteristic listed in column 1, column 3 shall contain (a) dated reference of the corresponding harmonised standard and, where relevant, the reference number of the Specific or Appropriate Technical Documentation used; or (b) dated reference of the corresponding European Assessment Document where available and reference number of the European Technical Assessment used.
9. Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies  
 N/A
10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
 This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

HP Inc.,  
16399 West Bernardo Dr.  
San Diego CA  
92127




Signed for and on behalf of the manufacturer by:

John Ferraro – Director - Media Supplies and Solutions, HP Inc.

..... (name and function)

San Diego, CA USA 3/6/2020

..... (place and date of issue)

..... (signature)

**NOTE 4:** The number of the declaration of performance shall be assigned by the concerned manufacturer (the declaration of performance can be numbered in accordance with the product-type reference number)

**NOTE 5:** The number of the notified body is the number assigned by the Commission following the notification procedure.

**NOTE 6:** For the declaration of properties related to Basic Work Requirement (BWR) N° 1 “Mechanical resistance and stability” (including such aspects of BWR N°4 “Safety in use”, which relate to mechanical resistance and stability) and aspects of BWR N° 2 “Resistance to fire” in case of structural products, the methods 1, 2, 3a and 3b as appropriate, shall be used to provide information to be included in the DoP.

The relevant TCs shall complete the Annex ZA included in candidate harmonized standards under development and shall provide for one or several or all methods on the basis of a relevant CEN Guidance document (in preparation).